



FM2500DD

18cm down draught for worktop extraction.

- Down draught extractor
- Touch controls
- Variable 4 speed control including 1 intensive setting
- 2 heights of operation, fully retracts to worktop level when not in use
- Delayed switch off timer and auto safety switch off

PERFORMANCE
480m³/h extraction rate
65dB(A) noise level
Extraction and recirculation
Removes grease and odours directly from the cooking area
REASSURANCE
Washable aluminium grease filter
Charcoal filter as an optional extra (type 25)
DESIGN
For worktop installation
FLF18STSTR: Stainless steel look strip (optional extra)



HD8890

Front-line Future 90cm chimney hood.

- Touch controls with LED display
- Variable 4 speed control including 1 intensive setting
- Delayed switch off timer and auto safety switch off

PERFORMANCE
570m³/h extraction rate
63dB(A) noise level
Extraction and recirculation
REASSURANCE
2 washable aluminium dishwasher safe grease filter cassettes
Long life charcoal filter included (type 20)
DESIGN
2 x halogen lights
For wall mounting or installation between furniture



Hoods



With a variety of sizes and the choice of extraction or recirculation mode, AEG-Electrolux has a range of hoods suitable for all kitchen and cooking needs. Whisper-quiet operation ensures your kitchen is cleared of cooking odours efficiently and quietly.

Design Control

Stunning hoods.

Design flexibility.

AEG-Electrolux have an extensive range of cooker hoods to suit all needs, whether you want to be discreet or make a bold design statement. Integrated, canopy and telescopic hoods can be discreetly concealed to blend in with your kitchen furniture, while our designer or chimney hoods are designed for maximum visual impact.

Hood types.

Designer hood. For those who want to create a stunning centrepiece in the kitchen, award-winning designer hoods from AEG-Electrolux.

Island hood. Suspended from the ceiling over a cooking station, the hood becomes the focal point of the kitchen. Ideal for installation with island units.

Chimney hood. Providing an attractive focal point in the kitchen, the chimney hood can be fitted between furniture or wall mounted.

Canopy hood. An attractive feature in the kitchen, the canopy hood is fitted & fixed into an island chimney, corner unit or wall cupboard.

Telescopic hood. Fitted & fixed into a 60cm wide furniture unit, with a shallow front cupboard. When in use it extends outwards beyond the cabinet and inwards for a flush finish when not in use.



Integrated hood. Fitted & fixed between wall units. Hidden by a furniture door, the hood is not visible, enhancing the appearance of the kitchen.

Halogen lamps.

This type of illumination on the hood provides excellent cooking visibility and can be used to provide soft lighting in the kitchen.

Hob lamps.

Illuminating the cooking areas for excellent cooking visibility, they can also be used to provide soft lighting in the kitchen.

Precise control.

AEG-Electrolux's powerful cooker hoods have a wide choice of different controls so you can adjust your extraction speed to suit every kitchen need, ensuring it is a fresher, more peaceful place to cook or relax. The electronic touch controls are stylish, simple with precise settings.

Automatic sensor control.

This ingenious sensor takes away the guesswork involved in selecting an extraction level. The sensor controls the intensity of the extraction, always working at the optimum level. They detect hob heat, ambient temperature and humidity levels and ensure that the hood works at exactly the right level to rid your kitchen of odours.

LED display.

Indicates extraction speed and when the charcoal filter or metal grease filter needs changing or cleaning.

Electronic variable speed control.

Precisely controls the rate of extraction, which can be varied to suit different types of cooking, providing optimum efficiency at minimal costs.



Variable speed control.

Allows the rate of extraction to be varied to suit different types of cooking, providing optimum efficiency at minimal cost.

Touch control.

Stylish, simple and precise electronic touch controls to adjust speed levels and hood lights.

Push button control.

Ideal for those who want just one touch control to adjust speed levels and hood lights.

Slider controls.

An easy way to use slider control to adjust speed levels and hood lights.

Performance Reassurance

For a peaceful kitchen environment.



AEG-Electrolux's powerful cooker hoods make a real difference to your whole kitchen environment, ensuring that it is a fresher, more peaceful place to cook or relax.

Whisper-quiet operation.

AEG-Electrolux hoods are quieter by design. AEG-Electrolux hoods give a higher extraction without a loud noise, creating a more peaceful kitchen environment.

Extraction rates.

This is the level at which the cooker hood clears cooking vapours from the kitchen environment. AEG-Electrolux cooker hoods are measured in cubic metres per hour and are in accordance with IEC standards.

Extraction mode. A ducting kit is attached to the hood to extract the cooking vapours externally, giving a pleasant kitchen environment, which is free from cooking odours.

Recirculation mode. The hood draws in the cooking vapours, filters the air through the charcoal filter and then recirculates the clean air back into the kitchen, leaving it free from cooking odours. For those hoods that do not come with a charcoal filter, it is available as an accessory.

Filters.

Long-life charcoal filter. This charcoal filter is used in recirculation mode to remove cooking smells. It may be washed in the dishwasher and dried in the oven.

Charcoal filter. This charcoal filter is used in recirculation mode to remove cooking smells. Needs replacing periodically.

Metal grease filters. The metal filter attracts the grease from cooking vapours, reducing odours, purifying the air and optimising performance. The filter is dishwasher-safe and never needs replacing.

Acrylic grease filter with saturation indicator. The filter absorbs grease from cooking vapours, producing cleaner air and reducing odours. Diagonal lines appear when the filter needs changing. This efficient and simple measure maintains perfect hood performance and extends hood life.

Designer hood in stunning black glass.

DD9995B

- Stylish black glass hood
- Electronic touch controls with LED display
- Continuous motor with intensive setting

CONTROL
920m ³ /h extraction rate
61dB(A) noise level
REASSURANCE
Long-life charcoal filter included
Washable aluminium grease filters
Electronic saturation indicators
Extraction and recirculation
DESIGN
2 x halogen lamps
For wall mounting between furniture or as a stand alone unit



reddot design award
winner 2008



Designer hoods in stainless steel.



DD9693-M

90cm chimney hood.

- Stylish stainless steel and black chimney hood
- Electronic touch controls
- Variable 4 speed control including 1 intensive setting

PERFORMANCE
970m³/h extraction rate
57dB(A) noise level
REASSURANCE
Electronic saturation indicators
Washable aluminium grease filter
Long-life charcoal filter included
Extraction and recirculation
DESIGN
3 x halogen lamps
For wall mounting between furniture or as a stand alone unit



DD9663-M

60cm chimney hood.

- Stylish stainless steel and black chimney hood
- Electronic touch controls
- Variable 4 speed control including 1 intensive setting

PERFORMANCE
970m³/h extraction rate
57dB(A) noise level
REASSURANCE
Electronic saturation indicators
Washable aluminium grease filter
Long-life charcoal filter included
Extraction and recirculation
DESIGN
2 x halogen lamps
For wall mounting between furniture or as a stand alone unit



Designer hoods in stainless steel.



HD8795M

90cm designer hood.

- Stylish stainless steel hood
- Variable 4 speed control including 1 intensive setting
- Electronic rotary control with colour display for speed, filter and light settings
- Electronic dimmer control for softer lighting

PERFORMANCE
540m³/h extraction rate
61dB(A) noise level
REASSURANCE
Electronic saturation indicators
Washable aluminium grease filters
Long-life charcoal filter included
Extraction and recirculation
DESIGN
3 x halogen lamps
For wall mounting between furniture or as a stand alone unit
Chimney section available as an optional extra (K8004m)



reddot design award
winner 2003



HD8760M

60cm designer hood.

- Stylish stainless steel hood
- Variable 4 speed control including 1 intensive setting
- Electronic rotary control with colour display for speed, filter and light settings
- Electronic dimmer control for softer lighting

PERFORMANCE
540m³/h extraction rate
61dB(A) noise level
REASSURANCE
Electronic saturation indicators
Washable aluminium grease filters
Long-life charcoal filter included
Extraction and recirculation
DESIGN
3 x halogen lamps
For wall mounting between furniture or as a stand alone unit
Chimney section available as an optional extra (K8004m)



Sensor controlled hoods.




HD8990M

90cm chimney hood.

- Stylish stainless steel chimney hood
- Electronic touch controls with digital LED display
- Automatic sensor programme
- Variable 4 speed control including 1 intensive setting
- Delayed switch off timer and auto safety switch off

PERFORMANCE
490m³/h extraction rate
60dB(A) noise level
REASSURANCE
Electronic saturation indicators
Washable aluminium grease filters
Long-life charcoal filter included
Extraction and recirculation
DESIGN
2 x halogen lamps
For wall mounting between furniture or as a stand alone unit




HD8960M

60cm chimney hood.

- Stylish stainless steel chimney hood
- Electronic touch controls with digital LED display
- Automatic sensor programme
- Variable 4 speed control including 1 intensive setting
- Delayed switch off timer and auto safety switch off

PERFORMANCE
490m³/h extraction rate
60dB(A) noise level
REASSURANCE
Electronic saturation indicators
Washable aluminium grease filter
Long-life charcoal filter included
Extraction and recirculation
DESIGN
2 x halogen lamps
For wall mounting between furniture or as a stand alone unit



Glass chimney hoods.



Hi8610M

100cm island hood.

- Stylish stainless steel hood with glass canopy
- Electronic touch controls with LED display
- Variable 4 speed control including 1 intensive setting
- Delayed switch off timer and auto safety switch off

PERFORMANCE
500m³/h extraction rate
60dB(A) noise level
REASSURANCE
Electronic saturation indicators
Washable aluminium grease filter
Long-life charcoal filter included
Extraction and recirculation
DESIGN
4 x halogen lamps
For island installation



HD6470M

60cm chimney hood.

- Stylish stainless steel hood with glass canopy
- Extendable to 70cm or 80cm using stainless steel side trims
- Electronic variable 3 speed push button control

PERFORMANCE
470m³/h extraction rate
64dB(A) noise level
REASSURANCE
Electronic saturation indicators
Washable aluminium grease filter
Long-life charcoal filter included
Extraction and recirculation
DESIGN
2 x halogen lamps
For wall mounting between furniture or as a stand alone unit



Chimney hoods.



HC5690M

90cm chimney hood.

- Stylish stainless steel chimney hood
- Electronic variable 4 speed push control including 1 intensive setting
- Delayed switch off timer on Intensive setting

PERFORMANCE
660m³/h extraction rate
62dB(A) noise level
REASSURANCE
Electronic saturation indicators
Washable aluminium grease filters
Long-life charcoal filter included
Extraction and recirculation
DESIGN
2 x halogen lamps
For wall mounting between furniture or as a stand alone unit



HC3360M

60cm chimney hood.

- Stylish stainless steel chimney hood
- Variable 3 speed push button control

PERFORMANCE
410m³/h extraction rate
62dB(A) noise level
REASSURANCE
Electronic saturation indicators
Washable aluminium grease filter cassettes
Long-life charcoal filter included
Extraction and recirculation
DESIGN
2 x halogen lamps
For wall mounting between furniture or as a stand alone unit
Suitable for installation at low ceiling height



HD8510M


100cm professional chimney hood.

- Stylish professional stainless steel chimney hood
- Electronic variable 4 speed push button control
- Co-ordinates perfectly with the AEG-Electrolux 100cm range cookers

PERFORMANCE
790m³/h extraction rate
74dB(A) noise level
REASSURANCE
Electronic saturation indicators
Washable aluminium grease filters
Charcoal filter included
Extraction and recirculation
DESIGN
2 x halogen lamps
For wall mounting between furniture or as a stand alone unit



Telescopic hoods.



EFP90033X

90cm telescopic hood.

- Electronic variable 3 speed slider control
- Extended vapour guide

PERFORMANCE
550m³/h extraction rate
65dB(A) noise level
REASSURANCE
Electronic saturation indicators
Washable aluminium grease filters
Optional charcoal filter for recirculation (EFF55)
Extraction and recirculation
DESIGN
2 x 9W neon lights
For installation between 90cm wide furniture with shallow front cupboard
Main colour: Grey



EFP60032X

60cm telescopic hood.

- Electronic variable 3 speed slider control
- Extended vapour guide

PERFORMANCE
310m³/h extraction rate
63dB(A) noise level
REASSURANCE
Electronic saturation indicators
Washable aluminium grease filters
Optional charcoal filter for recirculation (EFF70)
Extraction and recirculation
DESIGN
2 x 40W lights
For installation between 60cm wide furniture with shallow front cupboard
Main colour: Grey



A range of hoods manufactured by the Electrolux Group designed to complement your AEG-Electrolux kitchen appliances

Canopy hoods.



EFG70023S

70cm canopy hood.

- Electronic variable 3 speed slider control

PERFORMANCE
620m³/h extraction rate
68dB(A) noise level
REASSURANCE
Washable aluminium grease filters
Extraction and recirculation
Optional charcoal filter for recirculation (EFF70)
DESIGN
2 x halogen lights
For installation into an island chimney, wall or corner unit
Main colour: Grey



EFG50022S

52cm canopy hood.

- Electronic variable 3 speed slider control

PERFORMANCE
320m³/h extraction rate
64dB(A) noise level
REASSURANCE
Washable aluminium grease filters
Extraction and recirculation
Optional charcoal filter for recirculation (EFF70)
DESIGN
2 x 40W neon lights
For installation into an island chimney, wall or corner unit
Main colour: Grey



A range of hoods manufactured by the Electrolux Group designed to complement your AEG-Electrolux kitchen appliances

Integrated hoods.



EFI60013S

60cm integrated hood.

- Variable 3 speed slider speed control
- Twin motors for high performance
- Extended vapour guide

PERFORMANCE
510m³/h extraction rate
66dB(A) noise level
REASSURANCE
Electronic saturation indicators
Washable aluminium grease filters
Optional charcoal filter for recirculation (type 29)
Extraction and recirculation
DESIGN
2 x 40W neon lights
Installation between furniture 60cm wide
Main colour: Grey



EFI60012S

60cm integrated hood.

- Variable 3 speed slider speed control
- Extended vapour guide

PERFORMANCE
320m³/h extraction rate
65dB(A) noise level
REASSURANCE
Washable aluminium grease filters
Extraction and recirculation
Optional charcoal filter for recirculation (type 29)
DESIGN
2 x 40W lights
Installation between furniture 60cm wide
Main colour: Grey



A range of hoods manufactured by the Electrolux Group designed to complement your AEG-Electrolux kitchen appliances



EFB675X | EFB975X | EFB175X

Stylish stainless steel splashbacks to complement stainless steel range of ovens, hobs and hoods.

- 75cm high
- Available in 60cm width (EFB675X)
- Available in 90cm width (EFB975X)
- Available in 100cm width (EFB175X)
- Easy to wipe clean with rigid reinforced back



SK3060A | SK3090A

Stylish Alutec® splashbacks to complement AluTec range of ovens, hobs and hoods.

- 75cm high
- Alutec® Splashback 60cm wide 75cm high
- Alutec® Splashback 90cm wide 75cm high
- Easy to wipe clean with rigid reinforced back



EFB60X | EFB90X | EFB120X

Stylish stainless steel splashbacks to complement stainless steel range of ovens, hobs and hoods.

- 70cm high
- Available in 60cm width (EFB60X)
- Available in 90cm width (EFB90X)
- Available in 120cm width (EFB120X)
- Easy to wipe clean with rigid reinforced back



Range cooker hand finished to perfection.

COMPETENCE C41022GM

100cm mixed fuel double oven range cooker with gas hob and cast iron griddle.

- Diamond glazed enamel interior
- Auto-stop anti-tip chrome shelves
- Acoustic signal

CONTROL
Rotary controls
24-hour electronic clock with minute minder
Fully programmable timer for main oven
HOB FEATURES
1 Wok burner
Cast iron pan supports & griddle
MAIN OVEN
Conventional cooking
Ventitherm® - true fan
Base heat finishing & top heat browning
Rotitherm roasting
Multifunction
Fan controlled defrosting
Dual circuit variable grill
SIDE OVEN
Conventional cooking
Grill
Turnspit rotisserie feature
Base heat finishing & top heat browning
DESIGN
Isofront® triple glazed doors

